

#### RECEIVED NOV 1 8 2005

Technology Center 2100




FIG. 1A

# NOV 14 2005 BY

FIG. 1E

### TRANSACTION

Attribute Name	Seq. Opt.	Opt.	Format	Length Decima	Decimal
TRANSACTION_CD	10	z	VARCHAR2	7	
NAME_TX	20	z	VARCHAR2	40	
DESCR_TX	30	К	VARCHAR2	2000	

FIG. 1B

## TRANSACTION\_DTL

Attribute Name	Seq.	Opt.	Format	Length Decima	Decimal
TRANSACTION_DTL_ID	10	Z	VARCHAR2	7	
TRANSACTION_CD_FK	20	z	VARCHAR2	7	
TRANSACTION_DTL_ID_RFK	30	z	VARCHAR2	7	
DATE_TX	40	z	DATE		

FIG. 1C

### Transaction

Transaction_CD   Name_TX	Name_TX	Descr_TX
Buy_Prod	Buy product transaction	This transaction relates to a customer buying a product.
Sell_Prod	Sell product transaction	This transaction to a vendor selling a product.

FIG. 1D

# Transaction\_Detail

${ t ransaction\_Dtl\_ID}$	Transaction_CD_FK	Date_DT
1	Buy_Prod	11/01/1999
2 .	Buy_Prod	11/05/1999
З	Sell_Prod	11/01/1999

.


RECEIVED NOV 1 8 2005

Technology Center 2100



#### RECEIVED NOV 1 8 2005

Technology Center 2100



614 F NOV 14 2005 ARANG TRADEAN TOOL

TOOL

NAME TX

DESCR\_TX LABEL\_SET\_CD

NAME\_TX

DESCR\_TX SYSTM

SYSTM\_ID

NAME\_TX

NAME\_TX

NAME\_TX

NAME\_TX

NAME\_TX

NAME\_TX

NAME\_TX

NAME\_TX LANG CD NAME TX DESCR\_TX VALID\_TOOL

OCREAT\_BY
CREAT\_DT FIG 3B DEF\_OBJ DEF\_OBJ\_ID NAME\_TX DESCR\_TX DEF\_OBJ\_ATTR

# DEF\_OBJ\_MTR\_ID

\* ABST\_OBJ\_DF\_YN

\* NAME

\* DESCR\_TX

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length	Decimal
TOOL_CD	10	z	VARCHAR2	200	
NAME_TX,	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4A

DEF\_OBJECT

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decimal	Decimal
DEF_OBJECT_ID	10	Z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Y	VARCHAR2	2000	
the second control of					

FIG. 4B

MIS

Attribute Name	Seq. (	opt.	Format	Length	Decimal
SYSTM_ID	10	z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
PASSWORD_NR	30	К	NUMBER	10	
SCHEMA_CD	40	¥	VARCHAR2	200	
VERSN_NR	50	ĸ	NUMBER	10	
DESCR_TX	60	Y	VARCHAR2	2000	

FIG. 4C

ID\_TOOL

Attribute Name	Seq.	Opt.	Opt. Format	Length	Decima1
CREAT_BY	10	К	VARCHAR2	200	
CREAT_DT	20	ĸ	DATE		

FIG. 4D





Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length I	Decimal
OBJ_ID	10	z	NUMBER	10	
NAME_TX	20	۲	VARCHAR2	40	
DESCR立文	30	Y	VARCHAR2	2000	

· FIG. 4E

#### ABSTR\_OBJ

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decima	Decimal
ABSTR_OBJ_ID	10	z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4F

#### LANG

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decimal	Decimal
LANG_CD	10	z	VARCHAR2	200	
NAME_TX	20	К	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4G

### LABEL\_SET

Attribute Name	Seq. Opt.	Opt.	Format	Length	Decimal
LABEL_SET_CD	10	z	VARCHAR2	200	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4H



Attribute Name	Seq.	Opt.	Format	Length	Decimal
DOMAIN_CD	10	z	VARCHAR2	200	
NAME_TX.	20	Y	VARCHAR2	40	
DEFLT_TX	30	ĸ	VARCHAR2	200	
DEFLT_NR	40	ĸ	NUMBER	10	
DEFLT_DT	50	К	DATE		
DATA_TYPE_CD	60	۲	VARCHAR2	200	
LNGTH_NR	70	Y	NUMBER	10	
MAX_NR	80	Y	NUMBER	10	
MIN_NR	90	К	NUMBER	10	
PRCSN_NR	100	К	NUMBER	10	
VALID_RULE_TX	110	Ч	VARCHAR2	2000	
DESCR_TX	120	ĸ	VARCHAR2	2000	
Z_DOMAIN_CD	130	Y	VARCHAR2	200	

#### FIG. 4I

### DEF\_OBJ\_ATTR

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decimal	Decimal
DEF_OBJ_ATTR_ID	10	z	NUMBER	10	
ABST_OBJ_IDF_YN	20	К	VARCHAR2	1	
NAME_TX	30	К	VARCHAR2	40	
DESCR_TX	40	Y	VARCHAR2	2000	

#### FIG. 4J

### OBJ\_VALUE

Attribute Name	Seq.	Seq. Opt.	Format	Length	Decimal
OBJ_VALUE_ID	10	z	NUMBER	10	
VALUE_NR	20	К	NUMBER	10	
VALUE_TX	30	К	VARCHAR2	2000	

	TOOL_GD	NAME_TX	DESCR_TX
	Forms	Oracle Forms	Oracle Developers' screen application product.
	Reports -	Oracle Reports	Oracle Developers' report application product
	SQL Server	Microsoft SQL Server	Microsoft database developers Database Management System
•	· · ·		product
	••		ETC 7

FIG.

DEF\_OBJ

	377	363	362	361	360	359	358	357	356	355	354	DEF_OBJ_ID
	Radio Group	Button	Checkbox	Display Item	Text Item	Visual Attribute	Tab Page	Canvas	Window	Block	Form	NAME_TX
	355	355	355	355	355	354	357	356	354	354		DEF_OBJ_ID_RFK
FIC	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	TOOL_CD
FIG. 7B	An Oracle Developer Form's radio group.	An Oracle Developer Form's button.	An Oracle Developer Form's checkbox.	An Oracle Developer Form's display item.	An Oracle Developer Form's text item.	An Oracle Developer Form's visual attribute.	An Oracle Developer Form's tab page.	An Oracle Developer Form's canvas.	An Oracle Developer Form's window.	An Oracle Developer Form's block.	An Oracle Developer Form's form.	DESCR_TX

MISAS

		ω		2	1	SYSTM_ID
		Marketing IS		ABC Corp.	Payroll System	NAME_TX
	:	Litn35		Wat99	Amnbc1	PASSWORD_NR
FIG. 7C						SCHEMA_CD
7C		1.2		2.1	3.0	VERSN_NR
	system.	This is the marketing information	system for ABC Corporation.	This is the entire information	This is the payroll system.	DESCR_TX

VALID\_TOOL SYSTM\_ID\_FK TOOL\_CD\_FK
Forms
Forms
Reports CREAT\_BY
John Smith
Tom Jones
Tom Jones June 14, 2000 June 14, 2000 January 29, 2000

FIG. 7D



	,		· · · · ·	_							,		_	_																				<b>,</b>	_ `
3505	3517	3516	3515	3514	3513	27.00	2	3511	3510		3509	3508	3507	3506		3518	3535	3534	3533	3532	3531	3530	3529	3528	3527	3526	3525	3524	3523	3522	3521	3520	3519	חד"רם	7
V_Gen_Party_COB_Info_Trans.Activ_YN	V_Gen_Party_COB_Info_Role_Tran.Stord_Value	V_Gen_Party_COB_Info_Ro1e_Tran.Gen_Party _COB_Info_ID	V_Gen_Party_COB_Info_Role_Tran	V_Gen_Party_COB_Info_Role.Pb_Value	V_Gen_Party_COB_Info_Role.Pb_Lang_CD	v_Gen_rarcy_cop_into_rore.acciv_in	Transport Con Table Dalla Action Wi	V_Gen_Party_COB_Info_Role.Lang_Name_TX	V_Gen_Party_COB_Info_Role.Stord_Value		W Con Party COR Info Role Var Name TX	<pre>V_Gen_Party_COB_Info_Role.Gen_Party_COB_ Info_ID</pre>	STab2	V_Gen_Party_COB_Info_Role	_TX	Gen Party	C_Geogr_Reg_Filter	V_Geogr_Reg	GR_Filter	COB_Reprt	Gr_Drill_Down	Party_Drill_Down	Source.Push_Button439	Source.RG_Source	Source.Name_TX	Z_Rel_CI	Source.Z_Party_CD	Source.Cntxt_TX	Source.Party_Role_ID	C_Source	W_Source	Source	V_Gen_Party_COB_Info_Role_Tran.Activ	NAME_TX	
3501	3515	3515	3373	3506	3506	0000	3 0 0 0	3506	3506	0	3506	3506	3404	3373		3515	3389	3373	3373	3373	3373	3373	3520	3520	3520	3520	3520	3520	3520	3521	3373	3373	3515	RFK	77
362	360	360	355	363	363	202	3	360	360	0	360	360	358	355		360	357	355	355	355	355	355	363	377	360	360	360	360	360	357	356	355	362	ID_FK	ד תיי
2	2	2	2	2	2		٥	2	2	1	J	2	2	2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	ID_FK	CATCONIA
A checkbox named V_Gen_Party_COB_Info_Trans.Activ_YN	A text item named  V_Gen_Party_COB_Info_Role_Tran.Stord_Value	A text item named V_Gen_Party_COB_Info_Role_Tran.Gen_Party_COB_InfoID	A block named V_Gen_Party_COB_Info_Role_Tran	A button named V_Gen_Party_COB_Info_Role.Pb_Value	A button named V_Gen_Party_COB_Info_Role.Pb_Lang_CD	V_Gen_Party_COB_Info_Role.Activ_YN	V_Gen_Party_COB_Info_Role.Lang_Name_TX	A text item named	A text item named V_Gen_Party_COB_Info_Role.Stord_Value	V_Gen_Party_COB_Info_Role.Var_Name_TX	text item named	A text item named	A tab_page named STab2	A block named V_Gen_Party_COB_Info_Role	_Gen_Party_	text item named	A canvas named C_Geogr_Reg_Filter	A block named V_Geogr_Reg		A block named COB_Reprt		A block named Party_Drill_Down	A button named Source.Push_Button439	A radio group named Source.Rg_Source	text	text item named Source.Z	item named	A text item named Source.Cntxt_TX	A text item named Source.Party_Role_ID	A canvas named C_Source	A window named W_Source	A block named Source	A checkbox named V_Gen_Party_COB_Info_Role_Tran.Activ_YN	DESCRITA	Trace av

, NOV 14 2005

•					
3494	V_Gen_Party_COB_Info_Party.Var_Name_TX	3491	360	2	A text item named  V Gen Party COB Info Party Var Name TX
3495	V_Gen_Party_COB_Info_Party.Stord_Value	3491	360	2	
3496	V_Gen_Party_COB_Info_Party.Lang_Name_TX	3491	360	2)	- 1
3497	V_Gen_Party_COB_Info_Party.Activ_YN	3491	362	2	
3498	V_Gen_Party_COB_Info_Party.Pb_Lang_CD	3491	363	2	
3499 .	V_Gen_Party_COB_Info_Party.Pb_Value	3491	363	2	_Info_Party.Pb_
3500	V_Gen_Party_COB_Info_Party.Pb_Z_Party_CO B_NFO_CD	3491	363	2	button named Gen_Party_COB_
3501		3373	355	2	A block named V_Gen_Party_COB_Info_Trans
3502	COB_Info_	3501	360	2	A text item named V_Gen_Party_COB_Info_Trans.Gen_Party_COB_Info_ID
3503	V_Gen_Party_COB_Info_Trans.Stord_Value	3501	360	2	A text item named V_Gen_Party_COB_Info_Trans.Stord_Value
3504	V_Gen_Party_COB_Info_Trans.Lang_Name_TX	3501	360	2	A text item named V_Gen_Party_COB_Info_Trans.Lang_Name_TX
3493	<pre>V_Gen_Party_COB_Info_Party.Gen_Party_COB _Info_ID</pre>	3491	360	2	text item _Gen_Party_
3573	V_Funct.Descr_TX	3563	360	2	text item named V_Funct.Descr_TX
3574		3557	359	2	A visual attribute named Block_Title
3576	V Finct Dt]	3557	355	) t	A block named V Funct Dtl
3577		3576	360	2	text i
3578	V_Funct_Dtl.DSP_Domain_CD	3576	360	2	1
35/9	יוים ליוי.	3576	360	3 6	text item named \
3581	V_Funct_Dtl.May_Rpeat_YN	3576	362	2 6	A checkbox named V_Funct_Dtl.May_Rpeat_YN
3582	_Dtl.Descr_TX	3576	360	2	
3583	V_Funct_Dtl.Funct_Dtl_ID	3576	360	2	
3572	V_Funct_Activ_YN	3563	362	υ <sub>(</sub> ν	A checkbox named V_Funct_Activ_YN
3555	Table.	3539	360	2	text item named
3556	Table.	3539	360	2	text item named
3557	Function		354	2	
3558	Stuff	3557	355	2	A block named Stuff
3559		3557	356	2	window
3560	C_Main	3559	357	2	canvas
3561	15	3557	359	2	visual attribute named Data
3562	Stuff.Null_Item	3558	360	2 2	
3564	Custom	3557	359	2 6	A visual attribute named Custom

NOV 14 2005 E

																																										PATER	N(	)
3469	3468	3467	3466	3465	3479	3492	3491	3490	3489	3488	3487	3486	3485	3484	3483	3482	3481	3480	3536	3552	3551	3550	3549	3548	3547	3546	3545	3544	3543	3542	3541	3540	3539	3538	3537	3553	3571	3570	3569	3568	3567	3566	3565	2
V_Party_Role_Parent	V_Party.Order_NR	V_Party.Persn_YN	V_Party.End_DT	V_Party.Activ_YN	<pre>V_Party_Role_Parent.Pb_Z_Party_CD</pre>	Tab3	V_Gen_Party_COB_Info_Party	V_Party_Role_Child.Pb_Party_ID	V_Party_Role_Child.Pb_Z_Party_CD	V_Party_Role_Child.Pb_Z_Rel_CD	V_Party_Role_Child.Activ_YN	Role_	V_Party_Role_Child.Start_DT	<pre>V_Party_Role_Child.DSP_Party_ID</pre>	V_Party_koie_Chiid.USP_Z_Party_CD	V_Party_Role_Child.DSP_Z_Rel_CD	V_Party_Role_Child.Party_Role_ID	V_Party_Role_Child	V_Geogr_Reg.Activ_YN	Plan_Table.Optimizer	Plan_Table.Object_Type	Plan_Table.Object_Instance	Plan_Table.Object_Name			Table.	Table.	Table.	Timestamp	Plan_Table.Statement_ID	Canvas2	Window1	Plan_Table	d1	V_Geogr_Reg.DSP_Z_Geogr_Reg_CD	Plan_Table.Search_Columns	Data_Display	V_Funct:DSP_Domain_CD	V_Funct.DSP_Z_Funct_CD	V_Funct.Name_TX	Data_Enter	V_Funct.Funct_ID	Data_Blue .	
3373	3461	3461	3461	3461	3469	3396	3373	3480	3480	3480	3480	3480	3480	3480	3480	3480	3480	3373	3534	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3540	3538	3538		3534	3539	3557	3563	3563	3563	3557	3563	3557	
355	10	362	360	362	363	358	355	363	363	363	362	360	360	360	360	10	360	l v	362	360	360	360	360	360	360	360	360	360	360 -	360	357	356	355	354	360	360	359	360	360	360	359	360	359	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	N	2	2	2	2 .	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
A block named V_Party_Role_Parent	1	A checkbox named V_Party.Persn_YN	A text item named V_Party.End_DT	A checkbox named V_Party.Activ_YN	A button named V_Party_Role_Parent.Pb_Z_Party_CD	A tab page named Tab3	A block named V_Gen_Party_COB_Info_Party		A button named V_Party_Role_Child.Pb_Z_Party_CD	A button named V_Party_Role_Child.Pb_Z_Rel_CD	A checkbox named V_Party_Role_Child.Activ_YN	A text item named V_Party_Role_Child.End_DT	A text item named V_Party_Role_Child.Start_DT	A text item named V_Party_Role_Child.DSP_Party_ID	A cext item named V_Party_Role_Child.DSP_Z_Party_CD	text	A text item named V_Party_Role_ID	A block named V_Party_Role_Child	A checkbox named V_Geogr_Reg.Activ_YN	A text item named Plan_Table.Optimizer	A text item named Plan_Table.Object_Type	A text item named Plan_Table.Object_Instance	A text item named Plan_Table.Object_Name	item named Plan_	A text item named Plan_Table.Object_Node	item named Plan	item named Plan_	item named Plan_	item named Plan_	A text item named Plan_Table.Statement_ID	A canvas named Canvas2	A window named Windowl	- 1	A form named Test_Help	item named	A text item named Plan_Table.Search_Columns	A visual attribute named Data_Display	A text item named V_Funct.DSP_Domain_CD	A text item named V_Funct.DSP_Z_Funct_CD	A text item named V_Funct.Name_TX	A visual attribute named Data_Enter	A text item named V_Funct.Funct_ID	A visual attribute named Data_Blue	

Nov 1 4 2005

3470	Tab2	3396	358	2	+ a h
	7001	2000		_	page mamed
3471	<pre>V_Party_Role_Parent.Party_Role_ID</pre>	3469	360	2	A text item named V_Party_Role_Parent.Party_Role_ID
3472	V_Party_Role_Parent.DSP_Party_Role_ID_RF K	3469	360	2	A text item named  V_Party_Role_Parent.DSP_Party_Role_ID_RFK
3473	V_Party_Role_Parent.DSP_Z_Party_CD	3469	360	2	A text item named  V_Party_Role_Parent.DSP_Z_Party_CD
3474	V_Party_Role_Parent.DSP_Z_Rel_CD	3469	360	2	
3475	V_Party_Role_Parent.Activ_YN	3469	362	2	 y_Role
3476	V_Party_Role_Parent.Start_DT	3469	360	2	1
3477	V_Party_Role_Parent.End_DT	3469	360	2 ·	A text item named V_Party_Role_Parent.End_DT
3478	V_Party_Role_Parent.Pb_Cntxt_TX	3469	363	2	butto
3464	V_Party.Start_DT	3461	360	2	text item named
3448	Locator.Start_From_DT	3433	360	2	text item named Locator.
3449	Locator.Start_To_DT	3433	360	2	text item named
3450	Locator.End_From_DT	3433	360	2	text item named Locator. End
3451	Locator.End_To_DT	3.433	360	2	A text item named Locator.End_To_DT
3452	Locator.Dsp_Geogr_Reg_ID	3433	360	2	text
3453	Locator.Dsp_Z_Var_CD	3433	360	2	text item named Locator.Dsp_Z_Var
3454		3433	363	2	button named Loca
3455	Locator.RAG_Persn_Org	3433	377	2	A radio group named Locator.RAG_Persn_Org
3456	Locator.RAG.Aspect_TX	3433	377	2	radio c
3457	Locator.Pb_Z_Party_CD	3433	363	2	l I
3458	Locator.Pb_Cntxt_TX	3433	363	2	- 1
3459	- 1	3433	363	2	button named Locator
3460	Locator.Pb_Geogr_Reg_ID	3433	363	2	button named Locator. Pb
3447	Locator.DSP_Z_Rel_CD	3433	360	2	A text item named Locator.DSP_Z_Rel_CD
3461	V_Party	3373	355	2	block named V_Party
3462	V_Party.Party_ID	3461	360	2	text item named
3463	V_Party.Name_TX	3461	360	2	text item named V_Party.Name_TX
3431	Party_Filter_Result.Name_TX	3429	360	2	text item named Party_Filter_Result.Name
3432	Party_Filter_Result.Activ_YN	3429	362	2	ı
3433	Locator	3373	355	2	block name
3434	Locator.Party_ID	3433	360	7	- 1
3435	Start_End_NR	3395	357	2	canva
3436	Locator.From NR	3433	360	2	- 1
3437	scart_End_DT	3395	357	2	canva
3438	Locator.From_Dr	3433	360	2	item named
3439	Locator.To_NR	3433	360	2	text item named
3440	Locator.To_DT	3433	360	2	text item named
3441	Locator.DSP_Party_Role_ID_RFK	3433	360	2	text item named
3430	_Result	3429	360	2	text
3442	Locator.DSP_Z_Party_CD	3433	360	2	text item named Locator.DSP_Z_Pa
3443	Locator.Var_Val_TX	3433	360	2	text
3444	Locator.DSP_Party_ID	3433	360	2	A text item named Locator.DSP_Party_ID

SE SOOZ PI NON

3445 3446 3414 3415	Locator.FED_Tax_ID_	3433	360	2	A text item named Locator.FED Tax ID
3446 3414 3415					Time To the second was a second
3414	Locator.Legcy_NR	3433	360	2	A text item named Locator.Legcy_NR
3415	Party_Role.Party_Role_ID	3413	360	2	A text item named Party_Role.Party_Role_ID
	Party_Role.Cntxt_TX	3413	360	2	A text item named Party_Role.Cntxt_TX
3416	Party_Role.DSP_Z_Rel_CD	3413	360	2	A text item named Party_Role.DSP_Z_Rel_CD
3417	Party_Role.DSP_Z_Party_CD	3413	360	2	named
3418	Party_Role.DSP_Party_ID	3413	360	2	Pa
3419	PR_Locator .	3373	355	2	
3420	Data <u>E</u> nter	3373	359	2	A visual attribute named Data_Enter
3421	PR_Locator.Namè	3419	360	2	A text item named PR_Locator.Name
3422	PR_Locator.Party_Role_ID	3419	360	2	A text item named PR_Locator.Party_Role_ID
3423	SP_Z	3419	360	2	A text item named PR_Locator.DSP_Z_Party_CD
3424	Party_Filter	3373	355	2	A block named Party_Filter
3425	C_Party_Filter	3384	357	2	A canvas named C_Party_Filter
3426	Party_Filter.Party_ID	3424	360	2	A text item named Party_Filter.Party_ID
3413 .	Party_Role	3373	355	2	A block named Party_Role
3427	Party_Filter.DSP_Party_ID	3424	360	2	A text item named Party_Filter.DSP_Party_ID
3428	Party_Filter.DSP_Z_Party_CD	3424	360	7	A text item named Party_Filter.DSP_Z_Party_CD
3429	Party_Filter_Result	3373	355	2	block named Party_Filter_Result
3394	Stuff.Pb_Start_Over	3374	363	2	A button named Stuff.Pb_Start_Over
3395	W_Main	3373	356	2	A window named W_Main
3396	C_Tab	3395	357	2	A canvas named C_Tab
3397	Tab4	3396	358	2	A tab page named Tab4
3398	Stuff.Party_Cntxt	3374	360	2	A text item named Stuff.Party_Cntxt
3399	Stuff.Pb_Party_Cntxt	3374	363	2	A button named Stuff.Pb_Party_Cntxt
3400	Tab1	3396	358	2	A tab page named Tab1
3401	Data_Display	3373	359	2	A visual attribute named Data_Display
3402	Stuff.Incld_Inactiv	3374	362	2	checkbo
3403	Stuff.Result	3374	362	2	A checkbox named Stuff.Result
3404	C_Subtab	3395	357	2	A canvas named C_Subtab
3405	STab1	3404	358	2	A tab page named STab1
3406	Stuff.Subtab_Null_Item	3374	360	2	A text item named Stuff.Subtab_Null_Item
3407	Stuff.Tab_Null_Item	3374	360	2	A text item named Stuff.Tab_Null_Item
3393	Stuff.Pb_Gr_Quit	3374	363	2	A button named Stuff.Pb_Gr_Quit
3408	Data_Current	3373	359	2	A visual attribute named Data_Current
3409	Stuff.Null_Item	3374	360	2	A text item named Stuff.Null_Item
3410	C_Main	3395	357	2	A canvas named C_Main
3411	Data_Blue	. 3373	359	2	A visual attribute named Data_Blue
3412	Stuff.Headr_TX	3374	361	2	A display item named Stuff.Headr_TX
3374	Stuff	3373	355	2	A block named Stuff
3373	Party_111		354	2	A form named Party_111
3375	W_Pick	3373	356	2	A window named W_Pick
3376	C_Pick	3375	357	2	A canvas named C_Pick
3377	Custom	, 3373	359	2	visual attribute named
3378	Block_Title	3373	359	2	visual
3379	Stuff.Pb_Back	3374	363	2	A button named Stuff.Pb_Back




FIG. 7E

A button named Stuff.Pb\_Pr\_Filter

> Stuff.Pb\_Party\_Filter Stuff.Pb\_Party\_Quit Stuff.Pb\_Party\_Pick W\_Geogr\_Reg\_Filter

C\_Tb\_Party\_Filter

W\_Party\_Filter

Stuff.Pb\_Gr\_Filter

Stuff.Pb\_Gr\_Pick

C\_TB\_Geogr\_Reg

Stuff.Pb\_Pr\_Filter

Stuff. Pb\_Pr\_Quit

Stuff.Pb\_Pr\_Pick

ABSTR_OBJ				
ABST_OBJ_ID	SYSTM_ID_FK	ABST_OBJ_ID   SYSTM_ID_FK   DEF_OBJ_ID_FK   NAME_TX	NAME_TX	DESCR_TX
1	2	354		
2	2	355		
3	2	355		

IG. 7F

LANG_CD	NAME_TX	DESCR_TX
English	English	
French	French	
German	German	

FIG. 7G

SET
LABEL

LABEL_SET_CD NAME_TX	NAME_TX		LANG_CD_FK	SYSTM_ID_FK	DESCR_TX
ABC_Eng	ABC Corp English		English	1	The payroll system with English labels.
ABC_Fr	ABC Corp French	cench	French	1	The payroll system with French labels.
ABC-Grm	ABC Corp German	erman	German	1	The payroll system with German labels.

FIG. 7H



IN			
Z_DOMA CD			
DESCR_TX			
DT DATA_TYPE_CD LNGTH_NR MAX_NR MIN_NR PRCSN_NR VALID_RULE_TX DESCR_TX Z_DOMAIN_CD			
PRCSN_NR	2		
MIN_NR			
MAX_NR			н
LNGTH_NR	10	9	FIG. 7I
DATA_TYPE_CD	Number	Number	
DEFLT			
DEFLT_NR			
DMAIN_CD NAME_TX DEFLT_TX DEFLT_NR	Money		
NAME_TX	Money	Small : Amount:	
AIN_CD	,333	**************************************	* <sub>1,</sub> ,
DON	1	2	'.

DOMAIN

#### FIG. 71

### DEF\_OBJ\_ATTR

DEF_OBJ_ATT	NAME	DEF_OBJ_ID	ABST_OBJ_IDF_	DOMAIN_CD_FK	DESCR_TX
R_ID		FK	YN		
431	Visual Attribute	357	Y	Char	Visual attribute for a canvas.
432	Label	358	Ϋ́	Char	Label for a tab page.
433	Prompt Text	360	Y	Char	Prompt text for text item.
434	Label	362	Y	Char	Label for a checkbox.
435	Label	363	Y	Char	Label for a button.
430	Title	356	Υ	Char	Title for a window.
436	Hint Text	360	Ϋ́	Char	Hint text for a text item.
437	Tooltip Text	360	Υ	Char	Tooltip text for a text item.
438	Hint Text	361	Y	Char	Hint text for a display item.
439	Tooltip Text	361	Y	Char	Tooltip text for a display item.
440	Hint Text	362	Y	Char	Hint text for a checkbox.
441	Tooltip Text	362	Y	Char	Tooltip text for a checkbox.
442	Hint Text	363	Y	Char	Hint text for a button.
443	Tooltip Text	363	Ā	Char	Tooltip text for a button.

#### FIG. 7J

### OBJ\_VALUE

OBJ_VALUE_ID   VALUE_TX   VALUE_NR	VALUE_TX	VALUE_NR		OBJ_ID_FK	LABEL_SET_CD_FK	EF_OBJ_ID_FK OBJ_ID_FK LABEL_SET_CD_FK DEF_OBJ_ATTR_ID_FK ABSTR_OB	ABSTR_OB
							J_ID_FK
2284	Default		357	3376	ABC_Eng	431	
2285	Back		363	3379	ABC_Eng	442	
2286	Back		363	3379	ABC_Eng	435	-
2287	Default		357	3380	ABC_Eng	431	
2288	Filter		363	3381	ABC_Eng	442	
2283	W_Pick		928	3375	ABC_Eng	430	
2289	Filter		363	3381	ABC_Eng	443	
2290	Quit		363	3382	ABC_Eng	777	

SOUZ PI AON

	- L.I.O	363	3382	ABC Find	443	_/
	Pick	363	3383	ABC_Eng	442	
~ 당)	Context Pick Context	363	3383	ABC_Eng	443	
(*** <sub>*</sub> ,	W_Party_ Filter	356	3384	ABC_Eng	430	
d'	Filter	363	3386	ABC_Eng	442	
	Filter	363	3386	ABC_Eng	443	
	Quit	363	3387	ABC_Eng	442	
	Pick Context	363	3388	ABC_Eng	442	
	Pick	363	3388	ABC_Eng	443	
	W_Geogr_	356	3389	ABC_Eng	430	
	Reg_Filt					-
	er					
	Pick Context	363	3391	ABC_Eng	442	
	Pick Context	363	3391	ABC_Eng	443	
	Filter	363	3392	ABC_Eng	442	
	Quit	363	3393	ABC_Eng	442	
	Quit	363	3393	ABC_Eng	443	
	Quit	363	3394	ABC_Eng	443	
	Party	356	3335	ABC_Eng	430	
	Maintena					
	Ω	363	3513	ABC_Eng	435	
	Value	360	3517	ABC_Eng	433 .	
	£	360	3523	ABC_Eng	433	
	Window1	356	3540	ABC_Eng	430	
	Default	357	3541	ABC_Eng	431	
	Statemen t ID	360	3542	ABC_Eng	433	
	Timestam p	360	3543	ABC_Eng	433	
	Remarks	360	3544	ABC_Eng	433	
	Operatio n	360	3545	ABC_Eng	433	
	Options	360	3546	ABC_Eng	433	
2423	Object	360	3547	ABC_Eng	433	

A HEN MOOVELS IN	ان
9002 P I AON	
ex 3 a 1 9	

										·																						
	433	433	433	433	433	433	433	433	433	430		431	432			433	433	435	431	433	431	433	431	443	442		433	433	433	433	433	433
	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng	ABC_Eng			ABC_Eng	ARC Fng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng
	3548	3549	3550	3551	3552	3553	3554	3555	3556	3559		3560	3507			3526	3527	3529	3535	3537	3385	3387	3390	3392	3394		3417	3423	3428	3434	3438	3441
	360	360	360	360	360	360	360	360	360	356		357	358			360	360	363	357	360	357	363	357	363	363		360	360	360	360	360	360
qe	Object Owner	Object Name	Object Instance	Object Type	Optimize r	Search Columns		Parent ID	Position	Function Maintena	е	Custom	Party	Role	Info	Associat	11	it	Default	эđ	Default	Quit	Default	Filter	Start	er	Type	Туре	Role		From	Context
Node	2424 Ob	2425 Objec	2426 . Ob		2428 Op	2429 Se		2431 Pa		2433 Fu	nce	2434 Cu		Ro		2411 Asso	2412 Name					2299 Qu.			2310 St				2334 Ro		2341 Fr	

00 1 4 5002 00 1 5 5002	Not >																																				*	
	435	433	432	433	435	433	433	433	433	433	433	433	435	435	435	432	433	433	433	435	435	435	433	433	433	433	433	433	435	433	433	430	431	433	433	433	433	433
	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng
	3459	3463	3470	3474	3479	3496	3502	3525	3483	3484	3485	3486	3488	3489	3490	3492	3493	3494	3495	3498	3499	3500	3503	3504	3508	3509	3510	3511	3514	3516	3518	3521	3522	3482	3524	3443	3444	3445
	363	360	358	360	363	360	360	360	360	360	360	360	363	363	363	358	360	360	360	363	363	363	360	360	360	360	360	360	363	360	360	356	357	360	360	360	360	360
	Ω	Name	Party Role	Relation	U	Lang	ID	Role	Type	Source	Start DT	End DT	n	n n	. л	Party Info	ID	Var	Value	U	U	U	Value	Lang	ID	Var	Value	Lang	n	ID	Lang	W_Source	Custom	Relation	Context	TX	Name	EIN
	2360	2363	2367	.2371	2375	2389	2393	2410	2378	2379 ·	2380	2381	2382	2383	2384	2385	2386	2387	2388	2390	2391	2392	2394	2395	2397	2398	2399	2400	2402	2403	2405	2406	2407	2377	2409	2346	2347	2348

S SOOZ P I NON E

-			*																														•				•		
433	433	433	433	433	433	433	435	435	435	435	433	433	433	433	433	433	433	433	433	435	433	433	433	433	433	433	435	433	433	433	433	433	433	432		433	435	432	434
ABC_Eng	ABC_Eng	ABC Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng								
3447	3448	3449	3450	3451	3452	3453	3454	3457	3458	3460	3462	3464	3466	3468	3471	3472	3473	3476	3477	3478	3442	3481	3568	3569	3570	3573	3575	3577	3578	3579	. 3582	3583	3566	3397		3398	3399	3400	3402
360	360	360	360	360	360	360	363	363	363	363	360	360	360	360	360	360	360	360	360	363	360	360	360	360	360	360	363	360	360	360	360	360	360	358		360	363	358	362
Rel Type	Start	To	End From	l	Name	Name	n	n	n	Ŋ	ID	Start DT	End DT	Ord Num	ID	Context	Type	Start DT	End DT	U	Туре	ID	Name	Туре	Domain	Descr	ח	Name	Domain	Order	Descr	ID	IDD	child	Role	Cntxt	U	Locator	Check_Bo
2350	2351	2352	2353	2354	-2355	2356	2357	2358	2359	2361	2362	2364	2365	2366	2368	2369	2370	2372	2373	2374	2345	2376	2436	2437	2438	2439	2440	2441	2442	2443	2444	2445	2435	2314		2315	2316	2317	2318



x159					
Check_Bo x159	362	3403	ABC_Eng	434	
Custom	357	3404	ABC_Eng	431	
Sub Role	358	3405	ABC_Eng	432	
Custom	357	3410	ABC_Eng	431	
ΩI	360	3414	ABC_Eng	433	
Context	360	3415	ABC_Eng	433	
Relation	360	3416	ABC_Eng	433	
Source	360	3418	ABC_Eng	433	
Name	360	3421	ABC_Eng	433	•
ID	360	3422	ABC_Eng	433	
Default	357	3425	ABC_Eng	431	
ID	360	3426	ABC_Eng	433	
Name	360	3427	ABC_Eng	433	
ΙD	360	3430	ABC_Eng	433	
Name	360	3431	ABC_Eng	433	
Custom	357	3336	ABC_Eng	431	
Default	357	3435	ABC_Eng	431	
From	360	3436	ABC_Eng	433	
Default	357	3437	ABC_Eng	431	
To	360	3439	ABC_Eng	433	
To	360	3440	ABC_Eng	433	

FIG. 7K